

## **“NEONATAL INCUBATOR**



### **MODEL: BABY NEST-10B**

#### **The best technology for Sub-Intensive and Intensive Care**

The awareness that medical treatment and care equipment, beyond the fundamental protection and promotion of the patient's health, must also, when possible, simplify the medical care operator's life and not complicate it has guided the research and design for the assembly of our incubators. In fact, all the functions and procedures which care personnel need to carry out in the course of neonatal assistance, from cleaning and disinfection after use to technical assistance, have been designed to be straightforward, practical and easy to carry out.

**Address :S.S.Padana Superiore, 207 - 85624 Vimodrone (MI) ITALY**

**Tel: +39 02 6532489**

# FEATURES

<b>MODEL</b>	<b>BABY NEST-10B</b>
Display	LED
Display	LED
Electrical requirement	220V 50HZ or 230V 60Hz
Power consumption	≤450VA
Air mode temp. range	25.0°C - 37.0°C
Skin model temp. range	25.0°C - 37.0°C
Air mode temp. alarm	<38.0°C
Air mode high temp. range	37.1°C - 38.0°C
Skin model high temp. range	37.1°C - 38.0°C
High temp. mode alarm	<40.0°C
Air mode alarm	±3.0°C
Skin mode alarm	±1.0°C
Skin sensor accuracy	≤±0.3°C
Air Temp. control	≤0.5°C
Mattress temp. uniformity	≤0.8°C
Noise	≤ 55dB(A)



**Address :S.S.Padana Superiore, 207 - 85624 Vimodrone (MI) ITALY**

**Tel: +39 02 6532489**